

Preisliste 2018-2

Keilriemenscheiben - verstellbar



Keilriemenscheiben - verstellbar

Keilriemenscheiben - verstellbar

Preisliste 2018-2

Keilriemenscheiben - verstellbar

für Fertigbohrung

Type	Profil	Ø min	Ø max	Ø A	Ø I	Termin	Preis 1-rillig	Preis 2-rillig
VS 93	SPZ	54	78	93	48	A	65,46	253,33
VS 93	SPA	54	78	93	48	A	65,46	253,33
VS 108	SPZ	75	93	108	63	A	72,58	280,87
VS 108	SPA	76	102	108	63	A	72,58	280,87
VS 120	SPZ	87	105	120	75	A	82,86	129,72
VS 120	SPA	88	114	120	75	A	82,86	129,72
VS 138	SPZ	105	123	138	93	A	103,44	171,44
VS 138	SPA	106	132	138	93	A	103,44	171,44
VS 159	SPZ	122	152	159	115	A	135,44	216,59
VS 159	SPA	128	154	159	115	A	135,44	216,59
VS 180	SPZ	128	158	180	121	A	172,01	321,17
VS 180	SPA	134	160	180	121	A	172,01	321,17
VS 180	SPB	137	173	180	121	A	172,01	321,17

Keilriemenscheiben - verstellbar

Keilriemenscheiben - verstellbar

Keilriemenscheiben - verstellbar

für Taperbuchse

Type	Profil	Buchse	Ø min	Ø max	Ø A	Ø I	Termin	Preis
VL 108	SPZ	1108	75	93	108	63	A	86,86
VL 108	SPA	1108	76	102	108	63	A	86,86
VL 120	SPZ	1108	87	105	120	75	A	98,19
VL 120	SPA	1108	88	114	120	75	A	98,19
VL 138	SPZ	1215	105	123	138	93	A	122,61
VL 138	SPA	1215	106	132	138	93	A	122,61
VL 159	SPZ	1615	122	152	159	115	A	153,78
VL 159	SPA	1615	128	154	159	115	A	153,78
VL 180	SPZ	1615	128	158	180	121	A	191,18
VL 180	SPA	1615	134	160	180	121	A	191,18
VL 180	SPB	1615	137	173	180	121	A	191,18

Preisliste 2018-2

Keilriemenscheiben - verstellbar

Serie RST für Taperbuchse

Type	Profil	Regelbereich dw 1 - dw 2	Termin	Preis
RST 84 Z1 - 1108	Z/10	62 - 80	A	89,68
RST 95 Z1 - 1108	Z/10	73 - 91	A	95,04
RST 100 Z1 - 1108	Z/10	78 - 96	A	100,40
RST 108 Z1- 1210	Z/10	90 - 104	A	105,76
RST 108 A1 - 1210	A/13	78 - 102	A	105,76
RST 120 A1 - 1210	A/13	88 - 114	A	111,12
RST 129 A1 - 1210	A/13	97 - 123	A	116,48
RST 139 A1 - 1610	A/13	109 - 133	A	121,84
RST 146 A1 - 1610	A/13	116 - 140	A	147,20
RST 156 A1 - 1610	A/13	126 - 150	A	152,56
RST 164 A1 - 1610	A/13	134 - 158	A	157,92
RST 177 A1 - 2012	A/13	149 - 171	A	190,08
RST 187 A1 - 2012	A/13	159 - 181	A	200,80
RST 120 A2 - 1210	A/13	88 - 114	A	195,44
RST 129 A2 - 1210	A/13	97 - 123	A	206,16
RST 139 A2 - 1610	A/13	109 - 133	A	216,88
RST 146 A2 - 1610	A/13	116 - 140	A	227,60
RST 156 A2 - 1610	A/13	126 - 150	A	222,24
RST 164 A2 - 1610	A/13	134 - 158	A	238,32
RST 177 A2 - 2012	A/13	149 - 171	A	286,56
RST 187 A2 - 2012	A/13	159 - 181	A	297,28
RST 178 B1 - 2012	B/17	139 - 171	A	190,08
RST 187 B1 - 2012	B/17	148 - 180	A	200,80
RST 178 B2 - 2012	B/17	139 - 171	A	286,56
RST 187 B2 - 2012	B/17	148 - 180	A	297,28

Keilriemenscheiben - verstellbar

Keilriemenscheiben - verstellbar